

Florida Department of Transportation
Bid Solicitation Notice and Approximate Quantities

Letting: 08250513 Call Order: 002 Proposal: E8V48 District:08

Counties: MARTIN

Road Name: BRIDGE REPLACEMENT - 890083 (SR 91) (MP 138) MARTIN COUNTY

Limits: 89470000

Project(s): 44852415201(*) Federal Aid No: N/A

Total Roadway Length:	0.543 Miles	Contract Days:	763
Total Bridge Length:	0.058 Miles	Letting Date:	05/13/25
Total Proposal Length:	0.601 Miles	Contract Execution Days:	10
		Special Start Date:	N/A
		Aquis/Flexible Start Time:	30

Proposal Budget Estimate: \$46,257,276.00

Please read the full advertisement

Description:

Work consists of providing all labor, materials, equipment and incidentals necessary for replacing Bridge 890083 located south of Becker Road on Florida's Turnpike (State Road 91). Major work includes bridge replacement, pavement realignment (reconstruction/widening), milling and resurfacing, maintenance of traffic (MOT) plan, signing and pavement marking, intelligent transportation systems (ITS), drainage, and lighting improvements from MP 19.706 in Martin County to MP 0.625 in St. Lucie County.

No Pre-Bid Conference. Contractor must be prequalified.

Call Order: 002 Proposal: E8V48

ALT	Item	Description	Unit	Quantity
Section 0001 Structures				
	0110- 3-	REMOVAL OF EXISTING STRUCTURES/BRIDGES (44852415201 BRIDGE ID 890083)	LS	1.000
	0400- 2- 4	CONC CLASS II, BRIDGE SUPERSTRUCTURE	CY	1,396.200
	0400- 2- 10	CONCRETE CLASS II, APPROACH SLABS	CY	393.200
	0400- 4- 5	CONCRETE CLASS IV, BRIDGE SUBSTRUCTURE	CY	326.200
	0400- 4- 25	CONCRETE CLASS IV, MASS, SUBSTRUCTURE	CY	250.300
	0400- 7- 1	BRIDGE DECK GROOVING	SY	5,356.000
	0400- 9- 1	BRIDGE DECK PLANING	SY	5,356.000
	0400-147-	COMPOSITE NEOPRENE PADS	CF	36.000
	0415- 1- 4	REINFORCING STEEL - BRIDGE SUPERSTRUCTURE	LB	256,156.000
	0415- 1- 5	REINFORCING STEEL- BRIDGE SUBSTRUCTURE	LB	76,510.000
	0415- 1- 9	REINFORCING STEEL- APPROACH SLABS	LB	76,538.000
	0450- 2- 45	PREST BEAMS: FLORIDA-I BEAM 45"	LF	5,143.000
	0455- 15- 16	PREFORMED PILE HOLES, 36" TO 43" DRILL/PUNCH SIZE	LF	502.000
	0455- 15- 26	PREFORMED PILE HOLES CASING, 36" TO 43" DRILL/PUNCH SIZE	LF	216.000
	0455- 20- 1	PILE INSPECTION, DRIVEN PILE	EA	86.000
	0455- 34- 5	PRESTRESSED CONCRETE PILING, 24" SQ	LF	7,674.000
	0455-115-	PILE REDRIVE	EA	24.000
	0455-137-	LOAD TEST (DYNAMIC), DATA COLLECTION AND ANALYSIS	EA	86.000
	0455-137- 2	LOAD TEST (DYNAMIC), VERIFICATION TEST	EA	12.000
	0455-143- 5	TEST PILES-PRESTRESSED CONCRETE,24" SQ	LF	750.000

Call Order: 002 Proposal: E8V48

ALT	Item	Description	Unit	Quantity
	0458- 1- 11	BRIDGE DECK EXPANSION JOINT, NEW CONSTRUCTION, F&I POURED JOINT WITH BACKER ROD	LF	344.000
	0459- 71-	PILES, POLYETHYLENE SHEETING	SY	83.000
	0521- 5- 12	CONCRETE TRAFFIC RAILING- BRIDGE, 36" MEDIAN SINGLE SLOPE	LF	370.000
	0521- 5- 13	CONCRETE TRAFFIC RAILING- BRIDGE, 36" SINGLE-SLOPE	LF	741.000
	0530- 1-100	RIPRAP, SAND-CEMENT BAGS	CY	73.400
	0530- 3- 3	RIPRAP- RUBBLE, BANK AND SHORE	TN	2,832.400
	0530- 3-103	RIPRAP, RUBBLE - SFWMD	TN	3,380.400
	0530- 74-	BEDDING STONE	TN	1,054.600
	0530- 74-100	BEDDING STONE, SFWMD	TN	1,365.800
	0630- 2- 16	CONDUIT, FURNISH & INSTALL, EMBEDDED CONCRETE BARRIERS AND TRAFFIC RAILINGS	LF	2,266.000
Section 0002 Roadway				
	0101- 1-	MOBILIZATION (44852415201)	LS	1.000
	0102- 1-	MAINTENANCE OF TRAFFIC (44852415201)	LS	1.000
	0102- 2-200	SPECIAL DETOUR- TEMPORARY PAVEMENT (44852415201)	LS	1.000
	0102- 2-300	SPECIAL DETOUR- TEMPORARY EARTHWORK/BASE (44852415201)	LS	1.000
	0102- 14-	TRAFFIC CONTROL OFFICER	HR	7,820.000
	0102- 30-	TEMPORARY HIGHWAY LIGHTING (44852415201)	LS	1.000
	0102- 60-	WORK ZONE SIGN	ED	68,493.000
	0102- 71- 15	TEMPORARY BARRIER, F&I, ANCHORED	LF	9,979.000
	0102- 71- 16	TEMPORARY BARRIER, F&I, FREE STANDING	LF	371.000
	0102- 71- 25	TEMPORARY BARRIER, RELOCATE, ANCHORED	LF	20,860.000
	0102- 71-104	TEMPORARY BARRIER, F&I, ANCHORED, TO REMAIN	LF	745.000
	0102- 74- 1	CHANNELIZING DEVICE- TYPES I, II, DI, VP, DRUM, OR LCD	ED	299,987.000
	0102- 74- 8	CHANNELIZING DEVICE- PEDESTRIAN LCD (LONGITUDINAL CHANNELIZING DEVICE)	FD	90.000
	0102- 76-	ARROW BOARD / ADVANCE WARNING ARROW PANEL	ED	795.000
	0102- 89- 1	TEMPORARY CRASH CUSHION, REDIRECTIVE OPTION	LO	10.000
	0102- 99-	PORTABLE CHANGEABLE MESSAGE SIGN, TEMPORARY	ED	4,392.000
	0102-115-	TYPE III BARRICADE	ED	1,702.000
	0102-150- 1	PORTABLE REGULATORY, SIGN	ED	1,526.000
	0102-150- 2	RADAR SPEED DISPLAY UNIT	ED	1,526.000
	0102-913- 12	REMOVABLE TAPE, BLACK, 10'-30', 3'-9', 6'-10', or 2'-4' SKIP	GM	0.133
	0102-913- 21	REMOVABLE TAPE, WHITE, SOLID 6"	GM	0.270
	0102-913- 22	REMOVABLE TAPE, WHITE, 10'-30', 3'-9', 6'-10', or 2'-4' SKIP, 6" WIDE	GM	0.133
	0102-913- 31	REMOVABLE TAPE, YELLOW, SOLID, 6"	GM	0.133
	0104- 10- 3	SEDIMENT BARRIER	LF	8,234.000
	0104- 11-	FLOATING TURBIDITY BARRIER	LF	999.000
	0104- 15-	SOIL TRACKING PREVENTION DEVICE	EA	2.000
	0104- 18-	INLET PROTECTION SYSTEM	EA	15.000
	0107- 1-	LITTER REMOVAL	AC	858.750
	0107- 2-	MOWING	AC	713.030
	0108- 1-	MONITOR EXISTING STRUCTURES- INSPECTION AND SETTLEMENT MONITORING (44852415201)	LS	1.000
	0110- 1- 1	CLEARING & GRUBBING (44852415201)	LS	1.000

Call Order: 002 Proposal: E8V48

ALT	Item	Description	Unit	Quantity
	0110- 2- 2	SELECTIVE CLEARING AND GRUBBING, AREAS WITH TREES TO REMAIN	AC	0.230
	0110- 4- 10	REMOVAL OF EXISTING CONCRETE	SY	2,271.000
	0110- 21-	TREE PROTECTION BARRIER	LF	8,258.000
	0110- 22-	TREE ROOT AND BRANCH PRUNING	EA	8.000
	0120- 1-	REGULAR EXCAVATION	CY	13,027.900
	0120- 5-	CHANNEL EXCAVATION	CY	1,511.300
	0120- 6-	EMBANKMENT	CY	112,182.500
	0160- 4-	TYPE B STABILIZATION	SY	47,725.000
	0285-701-	OPTIONAL BASE, BASE GROUP 01	SY	284.000
	0285-708-	OPTIONAL BASE, BASE GROUP 08	SY	17,495.000
	0285-709-	OPTIONAL BASE, BASE GROUP 09	SY	1,059.000
	0285-712-	OPTIONAL BASE, BASE GROUP 12	SY	21,933.000
	0327- 70- 5	MILLING EXISTING ASPHALT PAVEMENT, 2" AVG DEPTH	SY	929.000
	0327- 70- 6	MILLING EXISTING ASPHALT PAVEMENT, 1 1/2" AVG DEPTH	SY	1,040.000
	0327- 70- 8	MILLING EXISTING ASPHALT PAVEMENT, 2 1/2" AVG DEPTH	SY	3,362.000
	0327- 70- 11	MILLING EXISTING ASPHALT PAVEMENT, 2 1/4" AVG DEPTH	SY	1,685.000
	0327- 70- 15	MILLING EXISTING ASPHALT PAVEMENT, 2 3/4" AVG DEPTH	SY	4,993.000
	0327- 70- 20	MILLING EXISTING ASPHALT PAVEMENT, 3 3/4" AVG DEPTH	SY	294.000
	0334- 1- 12	SUPERPAVE ASPHALTIC CONC, TRAFFIC B	TN	1,116.200
	0334- 1- 13	SUPERPAVE ASPHALTIC CONC, TRAFFIC C	TN	200.300
	0334- 1- 15	SUPERPAVE ASPHALTIC CONC, TRAFFIC E	TN	2,907.700
	0334- 1- 53	SUPERPAVE ASPHALTIC CONCRETE, TRAFFIC C, PG76-22	TN	43.400
	0334- 1- 55	SUPERPAVE ASPHALTIC CONCRETE, TRAFFIC E, PG76-22	TN	5,530.500
	0337- 7- 25	ASPHALT CONCRETE FRICTION COURSE, INC BIT, FC-5, PG 76-22	TN	1,468.700
	0337- 7- 83	ASPHALT CONCRETE FRICTION COURSE, TRAFFIC C, FC-12.5, PG 76-22	TN	42.400
	0339- 1-	MISCELLANEOUS ASPHALT PAVEMENT	TN	816.700
	0425- 1-541	INLETS, DT BOT, TYPE D, <10'	EA	12.000
	0425- 1-549	INLETS, DT BOT, TYPE D, MODIFY	EA	1.000
	0425- 1-559	INLETS, DT BOT, TYPE E, MODIFY	EA	1.000
	0425- 1-701	INLETS, GUTTER, TYPE S, <10'	EA	14.000
	0425- 1-921	INLETS, ADJACENT BARRIER, <=10'	EA	20.000
	0425- 1-923	INLETS, ADJACENT BARRIER, J BOTTOM, < 10'	EA	1.000
	0425- 2- 61	MANHOLES, P-8, <10'	EA	1.000
	0425- 2- 91	MANHOLES, J-8, <10'	EA	1.000
	0430-175-118	PIPE CULVERT,OPTIONAL MATERIAL,ROUND, 18"S/CD	LF	5,800.000
	0430-175-124	PIPE CULVERT,OPTIONAL MATERIAL,ROUND, 24"S/CD	LF	140.000
	0430-175-136	PIPE CULVERT, OPT MATERIAL, ROUND, 36"S/CD	LF	342.000
	0430-175-218	PIPE CULVERT,OPTIONAL MATERIAL,OTHER-ELIP/ARCH, 18"S/CD	LF	368.000
	0430-982-125	MITERED END SECTION, OPTIONAL ROUND, 18" CD	EA	10.000
	0430-982-129	MITERED END SECTION, OPTIONAL ROUND, 24" CD	EA	3.000
	0430-982-138	MITERED END SECTION, OPTIONAL ROUND, 36" CD	EA	4.000
	0520- 1- 10	CONCRETE CURB & GUTTER, TYPE F	LF	88.000
	0520- 6-	SHOULDER GUTTER- CONCRETE	LF	1,455.000
	0521- 8- 7	CONCRETE BARRIER, WITH JUNCTION SLAB, 36" SINGLE SLOPE	LF	1,588.000

Call Order: 002 Proposal: E8V48

ALT	Item	Description	Unit	Quantity
	0521- 72- 40	SHOULDER CONCRETE BARRIER, 38" OR 44" HEIGHT	LF	1,913.000
	0530- 3- 4	RIPRAP, RUBBLE, F&I, DITCH LINING	TN	34.000
	0530- 74-	BEDDING STONE	TN	25.000
	0536- 1- 1	GUARDRAIL -ROADWAY, GENERAL TL-3	LF	4,165.000
	0536- 1- 3	GUARDRAIL- ROADWAY, DOUBLE FACE	LF	5,181.000
	0536- 5- 1	RUB RAIL FOR GUARDRAIL, SINGLE SIDED RUB RAIL	LF	5,181.000
	0536- 8-112	GUARDRAIL TRANSITION CONNECTION TO RIGID BARRIER, F&I- INDEX 536-001, APPROACH TL-3	EA	10.000
	0536- 73-	GUARDRAIL REMOVAL	LF	3,480.000
	0536- 85- 20	GUARDRAIL END TREATMENT- TRAILING ANCHORAGE	EA	5.000
	0536- 85- 24	GUARDRAIL END TREATMENT- PARALLEL APPROACH TERMINAL	EA	5.000
	0538- 1-	GUARDRAIL RESET	LF	84.000
	0548- 12-	RETAINING WALL SYSTEM, PERMANENT, EXCLUDING BARRIER	SF	27,264.000
	0548- 13-	RETAINING WALL SYSTEM, TEMPORARY, EXCLUDING BARRIER	SF	24,875.000
	0570- 1- 2	PERFORMANCE TURF, SOD	SY	58,203.000
	0571- 1- 11	PLASTIC EROSION MAT, TURF REINFORCED MAT, TYPE 1	SY	6,110.000
	0630- 2- 16	CONDUIT, FURNISH & INSTALL, EMBEDDED CONCRETE BARRIERS AND TRAFFIC RAILINGS	LF	4,765.000
	0706- 1- 3	RAISED PAVEMENT MARKER, TYPE B	EA	3,171.000
	0710- 11-101	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SOLID, 6"	GM	5.089
	0710- 11-131	PAINTED PAVEMENT MARKINGS, STANDARD, WHITE, SKIP, 10-30 OR 3-9 SKIP, 6" WIDE	GM	4.200
	0710- 11-201	PAINTED PAVEMENT MARKINGS, STANDARD, YELLOW, SOLID, 6"	GM	5.251
	0999- 16-	PARTNERING, DO NOT BID (44852415201)	LS	1.000
	0999- 20- 1	DISPUTES REVIEW BOARD, MEETING- DO NOT BID	DA	9.000
	0999- 20- 2	DISPUTES REVIEW BOARD, HEARING- DO NOT BID	EA	2.000
	0999- 25-	INITIAL CONTINGENCY AMOUNT, DO NOT BID (44852415201)	LS	1.000
Section 0003 Signing				
	0546- 72- 1	GROUND-IN RUMBLE STRIPS, 16"	GM	3.722
	0700- 1-111	SINGLE COLUMN GROUND SIGN ASSEMBLY, F&I GROUND MOUNT, LESS THAN 12 SF	EA	3.000
	0700- 1-112	SINGLE COLUMN GROUND SIGN ASSEMBLY, F&I GROUND MOUNT, 12.0-20.0 SF	EA	10.000
	0700- 1-113	SINGLE COLUMN GROUND SIGN ASSEMBLY, F&I GROUND MOUNT, 20.1-30.0 SF	EA	2.000
	0700- 1-311	SINGLE COLUMN GROUND SIGN ASSEMBLY, F&I BARRIER SIDE- MOUNT, LESS THAN 12 SF	EA	1.000
	0700- 1-312	SINGLE COLUMN GROUND SIGN ASSEMBLY, F&I BARRIER SIDE- MOUNT, 12.0-20.0 SF	EA	1.000
	0700- 1-600	SINGLE COLUMN GROUND SIGN ASSEMBLY, REMOVE	EA	16.000
	0700- 2-112	MULTI-COLUMN GROUND SIGN ASSEMBLY, F&I GROUND MOUNT, 12.0-20.0 SF	EA	1.000
	0700- 2-114	MULTI-COLUMN GROUND SIGN ASSEMBLY, F&I GROUND MOUNT, 30.1-50.0 SF	EA	1.000
	0700- 2-115	MULTI-COLUMN GROUND SIGN ASSEMBLY, F&I GROUND MOUNT, 50.1-100.0 SF	EA	1.000
	0700- 2-116	MULTI-COLUMN GROUND SIGN ASSEMBLY, F&I GROUND MOUNT, 100.1-200.0 SF	EA	3.000

Call Order: 002 Proposal: E8V48

ALT	Item	Description	Unit	Quantity
	0700- 2-600	MULTI-COLUMN GROUND SIGN ASSEMBLY, REMOVE	EA	7.000
	0700-141-141	ENHANCED HWY SIGN ASSEMBLY, AC POWERED, F&I GROUND MOUNT, W/HIGHLIGHTED SIGN <12 SF, UP TO 12 SF OF STATIC SIGN PANELS	EA	6.000
	0706- 1- 3	RAISED PAVEMENT MARKER, TYPE B	EA	535.000
	0710- 90-	PAINTED PAVEMENT MARKINGS, FINAL SURFACE (44852415201)	LS	1.000
	0711- 11-123	THERMOPLASTIC, STANDARD, WHITE, SOLID, 12" FOR CROSSWALK AND ROUNDABOUT	LF	82.000
	0711- 11-124	THERMOPLASTIC, STANDARD, WHITE, SOLID, 18" FOR DIAGONALS AND CHEVRONS	LF	151.000
	0711- 15-101	THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES WHITE, SOLID, 6"	GM	2.119
	0711- 15-102	THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES, WHITE, SOLID, 8"	GM	0.219
	0711- 15-131	THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES, WHITE, SKIP, 6",10-30 SKIP OR 3-9 LANE DROP	GM	2.363
	0711- 15-201	THERMOPLASTIC, STANDARD-OPEN GRADED ASPHALT SURFACES, YELLOW, SOLID, 6"	GM	2.119
	0711- 16-101	THERMOPLASTIC, STANDARD-OTHER SURFACES, WHITE, SOLID, 6"	GM	0.168
	0711- 16-102	THERMOPLASTIC, STANDARD-OTHER SURFACES, WHITE, SOLID, 8"	GM	0.044
	0711- 16-201	THERMOPLASTIC, STANDARD-OTHER SURFACES, YELLOW, SOLID, 6"	GM	0.156
	0713-103-101	PERMANENT TAPE, WHITE, SOLID, 6" FOR CONCRETE BRIDGES	GM	0.116
	0713-103-122	PERMANENT TAPE, WHITE, SOLID W/CONTRAST, 8" PRIMARY LINE WIDTH, FOR CONCRETE SURFACES	GM	0.009
	0713-103-171	PERMANENT TAPE, WHITE, 3-9 DOTTED, 6" WIDE, FOR CONCRETE SURFACES	GM	0.055
	0713-103-181	PERMANENT TAPE, WHITE, 10-30 SKIP, 6" WIDE, FOR CONCRETE SURFACES	GM	0.116
	0713-103-201	PERMANENT TAPE, YELLOW, SOLID, 6" FOR CONCRETE BRIDGES	GM	0.116
	0713-103-371	PERMANENT TAPE, BLACK, 3-9 DOTTED, 6" WIDE, FOR CONCRETE SURFACES	GM	0.062
	0713-103-381	PERMANENT TAPE, BLACK, 10-30 SKIP, 6" WIDE, FOR CONCRETE SURFACES	GM	0.116
Section 0004 Lighting				
	0630- 2- 11	CONDUIT, FURNISH & INSTALL, OPEN TRENCH	LF	5,159.000
	0630- 2- 12	CONDUIT, FURNISH & INSTALL, DIRECTIONAL BORE	LF	2,075.000
	0630- 2- 14	CONDUIT, FURNISH & INSTALL, ABOVEGROUND	LF	29.000
	0635- 2- 11	PULL & SPLICE BOX, F&I, 13" x 24" COVER SIZE	EA	42.000
	0635- 3- 13	JUNCTION BOX, FURNISH & INSTALL, EMBEDDED	EA	19.000
	0715- 1- 12	LIGHTING CONDUCTORS, F&I, INSULATED, NO.8 - 6	LF	85,513.000
	0715- 1- 13	LIGHTING CONDUCTORS, F&I, INSULATED, NO 4 TO NO 2	LF	27,920.000
	0715- 7- 21	LOAD CENTER, REWORK, SECONDARY VOLTAGE	EA	3.000
	0715- 11-125	LUMINAIRE, F&I, UNDER DECK, WALL MOUNT	EA	1.000
	0715- 11-213	LUMINAIRE, F&I- REPLACE EXISTING LUMINAIRE ON EXISTING POLE/ARM, ROADWAY, POLE TOP	EA	58.000
	0715- 11-225	LUMINAIRE, F&I- REPLACE EXISTING LUMINAIRE, ROADWAY, WALL MOUNT	EA	2.000
	0715- 61-200	LIGHT POLE COMPLETE, F&I, STANDARD POLE STANDARD FOUNDATION, 35' MOUNTING HEIGHT, 0' ARM LENGTH	EA	3.000

Call Order: 002 Proposal: E8V48

ALT	Item	Description	Unit	Quantity
	0715- 61-400	LIGHT POLE COMPLETE, F&I, STANDARD POLE STANDARD FOUNDATION, 45' MOUNTING HEIGHT, 0' ARM LENGTH	EA	44.000
	0715-500- 1	POLE CABLE DISTRIBUTION SYSTEM, FURNISH AND INSTALL, CONVENTIONAL	EA	47.000
Section 0005 Intelligent Transportation System				
	0102- 25-101	TEMPORARY INTELLIGENT TRANSPORTATION SYSTEM	DA	763.000
	0102-112-	EXISTING ITS MAINTENANCE	DA	763.000
	0611- 1- 1	ITSFM SUBSURFACE DOCUMENTATION- PROJECT LENGTH	MI	1.634
	0611- 2- 2	ITSFM LOCATION DOCUMENTATION- ITS SITE	EA	6.000
	0630- 2- 11	CONDUIT, FURNISH & INSTALL, OPEN TRENCH	LF	7,183.000
	0630- 2- 12	CONDUIT, FURNISH & INSTALL, DIRECTIONAL BORE	LF	1,853.000
	0630- 2- 14	CONDUIT, FURNISH & INSTALL, ABOVEGROUND	LF	200.000
	0633- 1-122	FIBER OPTIC CABLE, F&I, UNDERGROUND,13-48 FIBERS	LF	3,021.000
	0633- 1-124	FIBER OPTIC CABLE, F&I, UNDERGROUND, 97 - 144 FIBERS	LF	10,819.000
	0633- 1-420	FIBER OPTIC CABLE, RELOCATE, UNDERGROUND	LF	1,660.000
	0633- 1-620	FIBER OPTIC CABLE, REMOVE, UNDERGROUND	LF	8,442.000
	0633- 2- 31	FIBER OPTIC CONNECTION, INSTALL, SPLICE	EA	436.000
	0633- 3- 11	FIBER OPTIC CONNECTION HARDWARE, F&I, SPLICE ENCLOSURE	EA	8.000
	0633- 3- 12	FIBER OPTIC CONNECTION HARDWARE, F&I, SPLICE TRAY	EA	40.000
	0633- 3- 15	FIBER OPTIC CONNECTION HARDWARE, F&I, PRETERMINATED PATCH PANEL	EA	6.000
	0633- 3- 17	FIBER OPTIC CONNECTION HARDWARE, F&I, CONNECTOR PANEL	EA	12.000
	0633- 6-	FIBER OPTIC CABLE LOCATOR	DA	763.000
	0633- 8- 12	MULTI-CONDUCTOR COMMUNICATION CABLE, FURNISH & INSTALL, COMPOSITE	LF	849.000
	0635- 2- 11	PULL & SPLICE BOX, F&I, 13" x 24" COVER SIZE	EA	33.000
	0635- 2- 12	PULL & SPLICE BOX, F&I, 24" X 36" COVER SIZE	EA	14.000
	0635- 2- 13	PULL & SPLICE BOX, F&I, 30" X 60" RECTANGULAR OR 36" ROUND COVER SIZE	EA	5.000
	0635- 2- 14	PULL & SPLICE BOX, F&I, 17" X 30" COVER SIZE	EA	1.000
	0635- 4- 11	FIBER OPTIC SPLICE VAULT, FURNISH & INSTALL, 54"W X 54"L X 48"D	EA	5.000
	0639- 1-122	ELECTRICAL POWER SERVICE, F&I, UNDERGROUND, METER PURCHASED BY CONTRACTOR	AS	1.000
	0639- 2- 1	ELECTRICAL SERVICE WIRE, FURNISH & INSTALL	LF	8,628.000
	0639- 3- 11	ELECTRICAL SERVICE DISCONNECT, F&I, POLE MOUNT	EA	6.000
	0639- 6-111	ELECTRICAL POWER SERVICE- TRANSFORMER, F&I, <5 KVA, SINGLE PHASE, COPPER WINDINGS	EA	6.000
	0639- 6-121	ELECTRICAL POWER SERVICE- TRANSFORMER, F&I, 5-10 KVA, SINGLE PHASE, COPPER WINDINGS	EA	3.000
	0641- 2- 12	PRESTRESSED CONCRETE POLE, F&I, TYPE P-II SERVICE POLE	EA	5.000
	0641- 2- 13	PRESTRESSED CONCRETE POLE, F&I, TYPE P-III	EA	1.000
	0641- 2- 60	PRESTRESSED CONCRETE POLE, COMPLETE POLE REMOVAL- PEDESTAL/SERVICE POLE	EA	1.000
	0641- 2- 80	PRESTRESSED CONCRETE POLE, COMPLETE POLE REMOVAL- POLE 30' AND GREATER	EA	1.000
	0641- 3-163	CONCRETE CCTV POLE, FURNISH & INSTALL WITH LOWERING DEVICE, 63'	EA	1.000

Call Order: 002 Proposal: E8V48

ALT	Item	Description	Unit	Quantity
	0641- 3-169	CONCRETE CCTV POLE, FURNISH & INSTALL WITH LOWERING DEVICE, 69'	EA	2.000
	0660- 7- 21	VEHICLE DETECTION SYSTEM- WRONG WAY FOR EXIT RAMP, 1 OR 2 LANES, AC POWERED	EA	2.000
	0660- 8- 11	TRAFFIC DATA DETECTION SYSTEM- MICROWAVE, FURNISH AND INSTALL, CABINET EQUIPMENT	EA	2.000
	0660- 8- 12	TRAFFIC DATA DETECTION SYSTEM- MICROWAVE, FURNISH AND INSTALL, ABOVE GROUND EQUIPMENT	EA	2.000
	0676- 2-122	ITS CABINET, FURNISH & INSTALL, POLE MOUNT WITH SUNSHIELD, 336S, 24" W X 46" H X 22" D	EA	4.000
	0676- 2-143	ITS CABINET, FURNISH & INSTALL, BASE MOUNT, 334, 24" W X 66" H X 30" D	EA	2.000
	0682- 1-133	ITS CCTV CAMERA, F&I, DOME ENCLOSURE - NON-PRESSURIZED, IP, HIGH DEFINITION	EA	3.000
	0684- 1- 1	MANAGED FIELD ETHERNET SWITCH, FURNISH & INSTALL	EA	6.000
	0684- 2- 1	DEVICE SERVER, FURNISH & INSTALL	EA	2.000
	0685- 1- 12	UNINTERRUPTIBLE POWER SUPPLY, FURNISH AND INSTALL, ONLINE/DOUBLE CONVERSION	EA	6.000
	0685- 2- 1	REMOTE POWER MANAGEMENT UNIT- RPMU, FURNISH AND INSTALL	EA	6.000